

## IN THE COURT OF THE MUNSIFF AT CHITALDRUG.

*Miscellaneous Case No. 16 of 1938-39.*

T. Thipparaju, son of Govindaraju, Private School Master, resident of Thalavatti in  
 Iymangala Hobli, Hiriya Taluk .. .. . *Petitioner.*

vs.

Nil .. .. . *Opponent.*

Application for the appointment of guardian to the person and property of the minor Rukmini-  
 yamma, wife of B. Parasuramaraju, deceased.

Whereas the petitioner has filed an application for the appointment of guardian to the person and pro-  
 perty of the aforesaid minor, and the 5th day of December 1938 has been fixed for hearing of the appli-  
 cation and notice is hereby given to the public that if any other relative, friend, kinsman, or well-wisher  
 of the aforesaid minor desirous of being appointed or declared as guardian to the person and property  
 of the aforesaid minor, he should enter appearance in person in this Court on the aforesaid date and be  
 prepared to adduce on that day any documentary and oral evidence he may desire to adduce in support of  
 his claim to such appointment or declaration.

Given under my hand and the seal of the Court, this 20th day of October 1938.

K. R. THIMMARAYA SETTY,  
*Munsiff.*

## THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 20th October 1938,  
 published under Article 141 of the Articles of Association.

| LIABILITIES                     |              | ASSETS                               |             |
|---------------------------------|--------------|--------------------------------------|-------------|
|                                 | Rs.          |                                      | Rs.         |
| To Capital Receipts ..          | 20,00,000    | By Cash in hand and at Bankers ..    | 21,27,813   |
| .. Reserve Fund ..              | 25,75,000    | .. Loans and Cash Credit Accounts .. | 1,75,71,176 |
| .. Public and other Deposits .. | 2,51,49,613  | .. Bills discounted and purchased .. | 9,33,052    |
| .. Sundries ..                  | 4,07,096     | .. Investments ..                    | 86,19,416   |
|                                 |              | .. Balance at Agencies ..            | 7,88,008    |
|                                 |              | .. Dead Stock ..                     | 92,244      |
|                                 |              | .. Sundries ..                       | 92,244      |
| Total                           | 3,01,31,709. | Total                                | 3,01,31,709 |
| (Annas and pies omitted.)       |              |                                      |             |

BANGALORE,  
 Dated 25th October 1938.

F. L. PERADON,  
*Manager.*

I intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof.

S. PUTTANNIAH, M.A., B.Sc., B.L., Pleader, Mysore.

## OFFICE OF THE UNIVERSITY OF MYSORE.

*Notification No. 9162, dated the 20th October 1938.*

It is hereby notified that T. Sundara Sudarshanachar, a student in the Junior B.A. class of the  
 Maharaja's College, Mysore, is permitted to change his name to "T. S. Sudaishanachar."

By Order,  
 L. GOPALASWAMI AIENGAR,  
*Registrar.*

## GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 9143-67, dated 18th October 1938.

To

*The Firms dealing in Railway Workshop Equipment.*

*Enquiry No. 3073.*

RAILWAY INDENT No. 14 OF 1937-38 FOR RAILWAY WORKSHOP EQUIPMENT.

GENTLEMEN,

With reference to your quotation submitted in response to our Enquiry No. 2628, dated 31st January  
 1938, I write to state that it has been decided to invite fresh tenders in respect of items 7 to 11 included

in the above enquiry, as many firms had not furnished complete specifications of the equipment required I would request you to be so good as to intimate your best prices and the earliest time of delivery for the materials in accordance with the specifications now given subject to the following conditions:—

- (1) Prices to be quoted should be for delivery, f.o.r. Mysore South, based on railway material certificate rates. If prices for delivery at other stations are given, the approximate railway freight payable at railway material certificate rate from the place of delivery to destination should be furnished separately in the quotation.
- (2) The time within which you can supply the equipment should be clearly specified.
- (3) The names of the manufacturers of the equipment to be offered should be furnished in each case. Descriptive catalogues if any of the equipment offered should be furnished wherever available. Detailed specification of the equipment offered should also be clearly indicated.
- (4) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee also reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotation for Railway Workshop Equipment," with the relative Enquiry Number.

This Enquiry will be closed on 14th November 1938.

#### *Schedule.*

Railway Indent No. 14 for Workshop Equipment required during 1937-38.

| <i>Item No.</i> | <i>Description of materials required.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <i>Quantity.</i> |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| 7.              | Spray guns with 1 pt. colour container.<br>Gun should have a gravity feed cup directly attached to it, to produce a beautiful atomised spray at a relatively low air pressure. Must be particularly suitable for frequent change of colours. The spray guns should have necessary arrangements to produce a wide vertical or horizontal fan spray or a round concentrate spray for smaller surfaces. Gun with colour container should be very light with perfect balance comfortable handle and smooth trigger action ensuring easy and non-tiring operation .. .. .                                                                                                            | 1                |
| (a)             | Fifty feet reinforced 5/16" dia. India rubber tubing, possessing great flexibility and lightness, freed from kinking and remarkable resistance to stand rough usage and tested for tensile strength and bursting pressure far beyond the usual requirements with necessary connections complete suitable for fitting it up to item No. 7 and 9 .. .. .                                                                                                                                                                                                                                                                                                                          | 50 Ft.           |
| 8.              | Guns without colour container.<br>Suitable for fitting it up to a separate pressure feed tank by required lengths of air and fluid hose, having necessary adjustments in the gun to produce either a wide vertical or horizontal fan spray or a round concentrated spray and also to control the size and the character of the spray .. .. .                                                                                                                                                                                                                                                                                                                                    | 2                |
| 9.              | Air purifier and transformer having arrangements to supply clean and dry compressed air capable of removing moisture, dirt, oil, etc., at required pressure. Must have two gauges to indicate air pressures one for main and another for regulated air with two outlets taps on one side giving regulated pure dry air and two on the other side giving high pressure pure dry air. Main inlet to the transformer should be 1/2" gas (female) .. .. .                                                                                                                                                                                                                           | 2                |
| 10.             | Pressure feed tanks two gallons capacity with regulator.<br>Pressure feed tanks should be of the finest quality heavy gauge steel with convex bottoms and a heavy head at the top ensuring great strength and obviating any risk of distortion under pressure. The tanks are to be fitted up with a clamp cover with quick acting wing bolts making cleaning and change of colour easy. An insert container should also be provided. Pressure feed tanks should be heavily galvanised inside and outside and equipped with a pressure regulator, a pressure gauge, a safety valve, a relief valve, one air tap and one fluid outlet tap with hand operated agitator at the top. | 2                |
| (a)             | Fifteen feet 5/16" dia. reinforced IR hose as specified in Item No. 7 (a) with necessary connections for fitting it to item Nos. 8 and 10 .. .. .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 15 Ft.           |
| (b)             | Fluid hose 15 feet in length of 5/16" dia. with necessary connections for fitting it to item Nos. 8 and 10. This should be solvent resisting, durable, light and flexible and should have no action on the paints .. .. .                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 15 Ft.           |
| 11.             | Respirator for spray painters' use.<br>This should have complete covering for face and should be of such a type as to prevent the inhalation of fumes or injurious particles of dust, etc., and also should be light and comfortable to wear .. .. .                                                                                                                                                                                                                                                                                                                                                                                                                            | 4                |

No. S. P. C. 9781-90, dated 25th October 1938.

To

*The Firms dealing in Prismatic Compass.**Enquiry No. 3080.*

PRISMATIC COMPASS.

DEAR SIR-GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Prismatic Compass" with the above enquiry Number.

This enquiry will be closed on the 10th November 1938.

*Schedule.*

| Item No. | Description of material offered                                                                                                                             | Quantity | Price quoted   | Time of delivery |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|------------------|
|          |                                                                                                                                                             |          | F. O. R.       |                  |
|          | Prismatic Compass 4" with aluminium ring, engine divided, shades and mirror complete in leather case with strap, with ball and socket jointed, tripod stand | One      | <i>Mandya.</i> |                  |

No. S. P. C. 9766-80, dated 25th October 1938.

To

*The Firms dealing in Levelling Staves.**Enquiry No. 3081.*

ENGINEERS' LEVELLING STAVES REQUIRED FOR THE SEVERAL DIVISIONS OF THE PUBLIC WORKS DEPARTMENT DURING THE YEAR 1938-39.

DEAR SIR-GENTLEMEN.

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Levelling Staves" with the above enquiry Number.

This enquiry will be closed on the 7th November 1938.

*Schedule.*

| Item No. | Description of material offered                                                               | Quantity | Price quoted | Time of delivery |
|----------|-----------------------------------------------------------------------------------------------|----------|--------------|------------------|
|          |                                                                                               |          | F. O. R.     |                  |
|          | Sopwith Pattern Telescopic 14 ft. Levelling Staves made of best well seasoned solid teakwood. |          |              |                  |

*N.B.*—(1) The price to be quoted should hold good for a period of one year from the date of order and no enhancement in the price accepted will be allowed during the period of contract.

(2) The Staves will be required to be supplied within a fortnight from the date of receipt of indent.

(3) The contract will be deemed to be limited to the number of staves drawn during the period of contract.

(4) The price to be quoted should hold good for delivery free at all the Railway Stations in the State.

(5) Samples should be sent along with the quotation.

No. S. P. C. 9746-55, dated 25th October 1938.

To

*The Firms dealing in Mathematical Instruments.*

*Enquiry No. 3083.*

**MATHEMATICAL INSTRUMENTS.**

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Mathematical Instruments" with the above enquiry Number.

This enquiry will be closed on the 12th November 1938.

*Schedule.*

| Item No. | Description of material offered                                                    | Quantity  | Price quoted                             | Time of delivery |
|----------|------------------------------------------------------------------------------------|-----------|------------------------------------------|------------------|
|          |                                                                                    |           | F. O. R.                                 |                  |
|          | <i>Mathematical Instruments for Black board work with Handles neatly polished.</i> |           | <i>Any Railway Station in the State.</i> |                  |
| 1        | Set Square 45°—12" .. .. .                                                         | } 25 Sets |                                          |                  |
| 2        | Set Square 60°—15" .. .. .                                                         |           |                                          |                  |
| 3        | Semi-Circular Protractor 14" dia. .. .. .                                          |           |                                          |                  |
| 4        | Compass 18" round legs with lock screw .. .. .                                     |           |                                          |                  |
| 5        | Ruler one Metre, marked in inches and cms. .. .. .                                 |           |                                          |                  |

Tenderers should bind themselves to abide by the following conditions of contract:—

- (1) The price you quote should hold good for a period of one year from the date the contract is let.
- (2) No enhancement in the prices accepted will be allowed during the period of contract.
- (3) The Stores Purchase Committee do not bind themselves to purchase any definite number of sets. The actual requirements of all the schools should be supplied.
- (4) The indents of the Educational Officer should be complied with within two weeks after their receipt.
- (5) The prices quoted should be for free delivery on rails at all the Railway Stations in the State.

Yours faithfully,

T. RANGASWAMI,

*Secretary,*

*Stores Purchase Committee.*

No. S. P. C. 9488, dated 19th—21st October 1938.

**NOTICE.**

*Enquiry No. 3015.*

Scaled tenders will be received by the Stores Purchase Committee for the supply among others of the following materials required in connection with Jog Falls Project, up to 30th November 1938.

- (1) 450 miles of aluminium cable with steel core of 335,400 C. M. area,

*Alternatively*

450 miles of 4/0 B. & S. Copper Wire.

- (2) 300 miles of Galvd. Steel Wire, 9/32" dia.

Intending tenderers may obtain the necessary tender forms from the undersigned on payment of Rs. 10 which is the price fixed for one set of tender forms which includes all the above items. The money is not refundable in any case.

Cheques, postage stamps or postal orders will not be accepted towards the cost of the tender forms, nor will the forms be sent by V. P. P.

By Order,

T. RANGASWAMI,

*Secretary,*

*Stores Purchase Committee.*